

Freilandfarne



| Gattung, Art, Sorte | Merkmale | Höhe in cm | Standort | Preis SFr. |
|---|----------------------|---------------|----------|---------------|
| Adiantum pedatum | Moorbeet | 50 | HS, Sch | 9.10 |
| Adiantum venustum | Moorbeet | 30 | HS, Sch | 9.10 |
| Arachniodes standishii (Dryopteris standishii) | | 40 | HS, Sch | 18.00 |
| Asplenium scolopendrium (Phyllitis scolopendrium) | wintergrün | 40 | HS, Sch | 9.10 |
| Asplenium scolopendrium 'Cristata' | wintergrün | 40 | HS, Sch | 11.40 |
| Asplenium scolopendrium 'Digitata Capitata' | wintergrün | 40 | HS, Sch | 11.40 |
| Asplenium scolopendrium 'Undulatum' (A. scol. 'Crispa') | wintergrün, Moorbeet | 40 | HS, Sch | 11.40 |
| Asplenium trichomanes | wintergrün | 15 | HS, Sch | 7.70 |
| Athyrium distentifolium (Athyrium alpestre) | | 100 | HS, Sch | 9.10 |
| Athyrium filix-femina | | 80 | HS, Sch | 7.70 |
| Athyrium filix-femina 'Corymbiferum' | | 60 | HS, Sch | 11.40 |
| Athyrium filix-femina 'Fieldiae' | | 70 | HS, Sch | 11.40 |
| Athyrium filix-femina 'Fieldiae Cristatum' | | 70 | HS, Sch | 11.40 |
| Athyrium filix-femina 'Grandiceps' | | 20 | HS, Sch | 11.40 |
| Athyrium filix-femina 'Minutissimum' | | 50 | HS, Sch | 11.40 |
| Athyrium niponicum | | 50 | HS | 9.10 |
| Athyrium niponicum var. pictum (Athyrium nip. 'Metallicum') | | 50 | HS | 9.10 |
| Athyrium otophorum 'Ok anum' | | 40 | HS | 9.10 |
| Blechnum penna-marina | wintergrün | 15 | HS, Sch | 9.10 |
| Blechnum spicant | wintergrün | 40 | HS, Sch | 9.10 |
| Cyrtomium fortunei | wintergrün | 60 | HS, Sch | 11.40 |
| Cystopteris fragilis | | 30 | HS | 9.10 |
| Dryopteris affinis (Dryopteris borrieri) | wintergrün | 80 | HS, Sch | 7.70 |
| Dryopteris affinis 'Cristata' (Dryopteris affinis 'The King') | wintergrün | 60 | HS, Sch | 11.40 |
| Dryopteris carthusiana (D. spinulosa) | | 80 | HS, Sch | 9.10 |
| Dryopteris cristata | Moorbeet | 50 | HS, Sch | 9.10 |
| Dryopteris cycadina (Dryopteris atrata) | wintergrün | 60 | HS, Sch | 9.10 |
| Dryopteris dilatata | | 80 | HS, Sch | 9.10 |
| Dryopteris erythrosora | wintergrün | 50 | HS, Sch | 9.10 |
| Dryopteris filix-mas | | 80 | HS, Sch | 7.70 |
| Dryopteris filix-mas 'Barnesii' | | 80 | HS, Sch | 11.40 |
| Dryopteris filix-mas 'Linearis Polydactyla' | | 70 | HS, Sch | 11.40 |
| Dryopteris goldiana | | 120 | HS, Sch | 9.10 |
| Dryopteris marginalis | wintergrün | 40 | HS, Sch | 9.10 |
| Dryopteris oreades | | 40 | HS, Sch | 9.10 |
| Dryopteris remota (x) | | 100 | HS, Sch | 9.10 |
| Dryopteris sieboldii | wintergrün | 60 | HS, Sch | 11.40 |
| Dryopteris standishii siehe Arachniodes | | | | |
| Dryopteris tavellii (x) | | 120 | HS, Sch | 9.10 |
| Dryopteris uniformis | wintergrün | 50 | HS, Sch | 9.10 |
| Dryopteris wallichiana | wintergrün | 80 | HS, Sch | 9.10 |
| Gymnocarpium dryopteris (Currania dryopteris) | | 30 | HS, Sch | 7.70 |
| Gymnocarpium robertianum (Currania robertiana) | | 40 | HS, Sch | 7.70 |
| Matteuccia orientalis | | 90 | HS, Sch | 18.00 |
| Matteuccia pensylvanica | | 100 | HS, Sch | 9.10 |

| Gattung, Art, Sorte | Merkmale | Höhe in cm | Standort | Preis SFr. |
|--|------------|---------------|----------|---------------|
| Matteuccia struthiopteris | | 100 | HS, Sch | 7.70 |
| Onoclea sensibilis | | 40 | HS, Sch | 7.70 |
| Osmunda cinnamomea | | 100 | HS, Sch | 11.40 |
| Osmunda claytoniana | | 100 | HS, Sch | 11.40 |
| Osmunda regalis | | 120 | HS, Sch | 11.40 |
| Osmunda regalis 'Gracilis' | | 60 | HS, Sch | 11.40 |
| Phyllitis siehe Asplenium | | | | |
| Polypodium cambricum (Polypodium australe) | wintergrün | 30 | HS, Sch | 9.10 |
| Polypodium interjectum | wintergrün | 30 | HS, Sch | 9.10 |
| Polypodium interjectum 'Oklay' | wintergrün | 30 | HS, Sch | 11.40 |
| Polypodium interjectum 'Pulcherrinum' | wintergrün | 30 | HS, Sch | 11.40 |
| Polypodium vulgare | wintergrün | 30 | HS, Sch | 9.10 |
| Polypodium vulgare 'Bifido Multifidum' | wintergrün | 30 | HS, Sch | 11.40 |
| Polystichum acrostichoides | wintergrün | 50 | HS, Sch | 9.10 |
| Polystichum aculeatum | wintergrün | 60 | HS, Sch | 9.10 |
| Polystichum braunii | wintergrün | 60 | HS, Sch | 9.10 |
| Polystichum munitum | wintergrün | 60 | HS, Sch | 9.10 |
| Polystichum polyblepharum | wintergrün | 60 | HS, Sch | 9.10 |
| Polystichum setiferum | wintergrün | 50 | HS, Sch | 9.10 |
| Polystichum setiferum 'Congestum' | wintergrün | 25 | HS, Sch | 9.10 |
| Polystichum setiferum 'Herrenhausen' | wintergrün | 30 | HS, Sch | 9.10 |
| Polystichum setiferum 'Plumoso-densum' | wintergrün | 40 | HS, Sch | 11.40 |
| Polystichum setiferum 'Proliferum' | wintergrün | 40 | HS, Sch | 9.10 |
| Polystichum tsussimense | wintergrün | 30 | HS, Sch | 9.10 |
| Pteridium aquilinum | | 180 | HS, Sch | 9.10 |
| Selaginella wildenowii | wintergrün | 25 | HS, Sch | 11.40 |
| Thelypteris palustris | | 50 | HS | 9.10 |
| Woodsia polystichoides | | 20 | HS | 9.10 |