

Freilandfarne

2019



Gattung, Art, Sorte	Merkmale	Höhe in cm	Standort	Preis SFr.
<i>Adiantum pedatum</i>	Moorbeet	50	HS, Sch	9.30
<i>Adiantum venustum</i>	Moorbeet	30	HS, Sch	9.30
<i>Asplenium ceterach</i> (<i>Ceterach officinarum</i>)	wintergrün	5	S, HS, Sch	9.30
<i>Asplenium scolopendrium</i> (<i>Phyllitis scolopendrium</i>)	wintergrün	40	HS, Sch	9.30
<i>Asplenium scolopendrium</i> 'Cristata'	wintergrün	40	HS, Sch	11.70
<i>Asplenium scolopendrium</i> 'Undulatum' (<i>A. scol.</i> 'Crispa')	wintergrün, Moorbeet	40	HS, Sch	11.70
<i>Asplenium trichomanes</i>	wintergrün	15	HS, Sch	7.90
<i>Athyrium filix-femina</i>		80	HS, Sch	7.90
<i>Athyrium niponicum</i> var. <i>pictum</i> (<i>Athyrium nip.</i> 'Metallicum')		50	HS	9.30
<i>Athyrium otophorum</i> 'Ok anum'		40	HS	9.30
<i>Blechnum penna-marina</i>	wintergrün	15	HS, Sch	9.30
<i>Blechnum spicant</i>	wintergrün	40	HS, Sch	9.30
<i>Ceterach officinarum</i> siehe <i>Asplenium ceterach</i>				
<i>Cyrtomium fortunei</i>	wintergrün	60	HS, Sch	11.70
<i>Dryopteris affinis</i> (<i>Dryopteris borrieri</i>)	wintergrün	80	HS, Sch	7.90
<i>Dryopteris affinis</i> 'Cristata' (<i>Dryopteris affinis</i> 'The King')	wintergrün	60	HS, Sch	11.70
<i>Dryopteris carthusiana</i> (<i>D. spinulosa</i>)		80	HS, Sch	9.30
<i>Dryopteris cristata</i>	Moorbeet	50	HS, Sch	9.30
<i>Dryopteris cycadina</i> (<i>Dryopteris atrata</i>)	wintergrün	60	HS, Sch	9.30
<i>Dryopteris erythrosora</i>	wintergrün	50	HS, Sch	9.30
<i>Dryopteris filix-mas</i>		80	HS, Sch	7.90
<i>Dryopteris filix-mas</i> 'Barnesii'		80	HS, Sch	11.70
<i>Dryopteris filix-mas</i> 'Linearis Polydactyla'		70	HS, Sch	11.70
<i>Dryopteris goldiana</i>		120	HS, Sch	9.30
<i>Dryopteris sieboldii</i>	wintergrün	60	HS, Sch	11.70
<i>Dryopteris wallichiana</i>	wintergrün	80	HS, Sch	9.30
<i>Gymnocarpium dryopteris</i> (<i>Currantia dryopteris</i>)		30	HS, Sch	7.90
<i>Gymnocarpium robertianum</i> (<i>Currantia robertiana</i>)		40	HS, Sch	7.90
<i>Matteuccia orientalis</i>		90	HS, Sch	19.00
<i>Matteuccia struthiopteris</i>		100	HS, Sch	7.90
<i>Onoclea sensibilis</i>		40	HS, Sch	7.90
<i>Osmunda cinnamomea</i>		100	HS, Sch	11.70
<i>Osmunda claytoniana</i>		100	HS, Sch	11.70
<i>Osmunda regalis</i>		120	HS, Sch	11.70
<i>Osmunda regalis</i> 'Gracilis'		60	HS, Sch	11.70
<i>Phyllitis</i> siehe <i>Asplenium</i>				
<i>Polypodium vulgare</i>	wintergrün	30	HS, Sch	9.30
<i>Polypodium vulgare</i> 'Bifido Multifidum'	wintergrün	30	HS, Sch	11.70
<i>Polystichum acrostichoides</i>	wintergrün	50	HS, Sch	9.30
<i>Polystichum aculeatum</i>	wintergrün	60	HS, Sch	9.30
<i>Polystichum braunii</i>	wintergrün	60	HS, Sch	9.30
<i>Polystichum munitum</i>	wintergrün	60	HS, Sch	9.30
<i>Polystichum polyblepharum</i>	wintergrün	60	HS, Sch	9.30
<i>Polystichum setiferum</i>	wintergrün	50	HS, Sch	9.30
<i>Polystichum setiferum</i> 'Plumoso-densum'	wintergrün	40	HS, Sch	11.70

Gattung, Art, Sorte	Merkmale	Höhe in cm	Standort	Preis SFr.
Polystichum setiferum 'Proliferum'	wintergrün	40	HS, Sch	9.30
Polystichum tsussimense	wintergrün	30	HS, Sch	9.30
Pteridium aquilinum		180	HS, Sch	9.30
Selaginella braunii	wintergrün	25	HS, Sch	11.70
Thelypteris palustris		50	HS	9.30
Woodsia obtusa		30	HS	9.30